



ADDENDUM #1

To: Prospective Bidders
From: Porter Co. Dept. of Development & Storm Water Management
Date: May 25, 2021
Subject: Windy Oaks Subdivision – Storm Water Management System Improvements, Phase 2
Construction Services

The attention of all prospective bidders is called to the following Addendum.

This Addendum, designated as Addendum #1, is hereby included in and made a part of the bidding documents, whether or not attached thereto. Except as modified by this Addendum, all requirements of the bidding documents shall remain in full force and effect.

Bidder shall acknowledge the receipt of this Addendum #1 on his or her bid form.

Clarifications & Modifications

The following clarifications and/or modifications to the bidding documents are being provided or are being made by the Department in response to questions posed and/or as determined necessary by the Department and are hereby included in and made a part of the bidding documents.

BASIS OF BID FORM

1. Basis of Bid Form

The Basis of Bid Form has been revised to reflect the following:

- WORK ITEM 11, "STORM SEWER, 18" PVC, SDR 35" – This work item, and the associated work items, including excavation, dewatering, bedding & initial backfill, final backfill, and flared end section (i.e., WORK ITEMS 11B-11F), were incorrectly identified as "STORM SEWER, 15" PVC, SDR 35" on the original Basis of Bid Form. There is no 15" PVC storm sewer included in the work. Consequently, **the Basis of Bid Form has been revised to correctly identify this work item and the associated work items as "STORM SEWER, 18" PVC, SDR 35"**.
- WORK ITEM 17A, "STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP" – **The quantity of this work item has been increased from 1 EA to 2 EA to reflect the actual quantity of such work item required to successfully complete the work**, as shown on the construction plans. The quantities of the associated work items, including excavation, dewatering, structure bedding, and structure backfill (i.e., WORK ITEMS 17B-17E) were correctly presented on the original Basis of Bid Form and have not been revised.
- WORK ITEM 26, "GRADING DITCHES & SWALES, UPSTREAM SWALE" – **The quantity of this work item has been increased from 225 LF to 270 LF to reflect the actual quantity of such work item required to successfully complete the work**, as shown on the construction plans.
- WORK ITEMS 10E, 11E & 12E, "FINAL BACKFILL FOR STORM SEWER" – These work items were only partially described as "BACKFILL FOR STORM SEWER" on the original Basis of Bid Form. To clearly distinguish between the bedding & initial backfill and final backfill work items, **the Basis of Bid Form has been revised to fully describe these work items as "FINAL BACKFILL FOR STORM SEWER"**.
- WORK ITEMS 16D, 17D, 18D & 19D "STRUCTURE BEDDING FOR STORM SEWER STRUCTURE" – These work items were only partially described as "SAND BEDDING FOR STORM SEWER STRUCTURE" on the original Basis of Bid Form. Per the Technical Specifications, either sand or coarse aggregate may be used



as bedding for storm sewer structures. Consequently, **the Basis of Bid Form has been revised to fully describe these work items as “STRUCTURE BEDDING FOR STORM SEWER STRUCTURE”.**

The revised Basis of Bid Form is attached to this Addendum #1. **Please replace the original Basis of Bid Form with the attached revised Basis of Bid Form.**

PRE-BID MEETING

2. Pre-Bid Meeting

As stated in the Invitation to Bid, a pre-bid meeting will be held at 10:00 a.m. local time on Thursday, May 27, 2021, at the Porter Co. Department of Development & Storm Water Management, 155 Indiana Ave., Ste. 311, Valparaiso, Indiana 46383. In accordance with the Department’s COVID-19 Safety & Action Plan, the pre-bid meeting will also be conducted live via videoconference. All prospective bidders are encouraged to attend and participate in the meeting, either in person or via videoconference.

The following information may be used to access and participate in the teleconference.

Zoom Meeting:

<https://us02web.zoom.us/j/87874712224?pwd=VTJ4SkIDNUMxUGtEMmV4cll5ajY5QT09>

Meeting ID: 878 7471 2224

Passcode: HqKa1k

A pre-bid meeting summary will be made available to prospective bidders following the pre-bid meeting.

SECTION II. BASIS OF BID FORM
 (Please type or print)

This Basis of Bid Form is to be submitted by bidder, as an attachment to the Bid Form, for the project designated as **Windy Oaks Subdivision – Storm Water Management System Improvements, Phase 2**. It is to include an entry for each and every work item listed, including all base work items, all items “as ordered by Engineer”, if any, all additive work items, if any, and all alternate work items, if any, as well as a total quote, in both words and figures, as provided for below.

BASE BID

Bidder will perform all work specified or indicated in the contract documents in accordance with terms and conditions of the contract documents for the following price(s):

WORK ITEMS

ITEM	DESCRIPTION	UNIT	QTY.	UNIT PRICE	EXT. PRICE
1	MOBILIZATION & DEMOBILIZATION	LS	1		
2	PRECONSTRUCTION VIDEO SURVEY	LS	1		
3	CONSTRUCTION LAYOUT & SURVEY	LS	1		
4	AS-BUILT DRAWINGS	LS	1		
5	TEMPORARY CONSTRUCTION ENTRANCE	EA	2		
6	TEMPORARY GEOTEXTILE DROP INLET PROTECTION	EA	3		
7	EX. STORM SEWER, REMOVE	LF	470		
8	EX. STORM SEWER STRUCTURE, REMOVE	EA	1		
9	EX. CULVERT, REMOVE	LF	280		
10A	STORM SEWER, 12" PVC, SDR 35	LF	67		
10B	EXCAVATION FOR STORM SEWER, 12" PVC	CY	44		
10C	DEWATERING FOR STORM SEWER, 12" PVC	LS	1		
10D	BEDDING & INITIAL BACKFILL FOR STORM SEWER, 12" PVC	CY	18		
10E	FINAL BACKFILL FOR STORM SEWER, 12" PVC	CY	24		
10F	FLARED END SECTION, W/ GRATE, 12" PVC	EA	1		
11A	STORM SEWER, 18" PVC, SDR 35	LF	170		
11B	EXCAVATION FOR STORM SEWER, 18" PVC	CY	139		

ITEM	DESCRIPTION	UNIT	QTY.	UNIT PRICE	EXT. PRICE
11C	DEWATERING FOR STORM SEWER, 18" PVC	LS	1		
11D	BEDDING & INITIAL BACKFILL FOR STORM SEWER, 18" PVC	CY	48		
11E	FINAL BACKFILL FOR STORM SEWER, 18" PVC	CY	75		
11F	FLARED END SECTION, W/O GRATE, 18" PVC	EA	1		
12A	STORM SEWER, 36" RCP, CLASS III	LF	1165		
12B	EXCAVATION FOR STORM SEWER, 36" RCP	CY	2302		
12C	DEWATERING FOR STORM SEWER, 36" RCP	LS	1		
12D	BEDDING & INITIAL BACKFILL FOR STORM SEWER, 36" RCP	CY	961		
12E	FINAL BACKFILL FOR STORM SEWER, 36" RCP	CY	864		
13A	CULVERT, 48" RCP, CLASS III	LF	60		
13B	EXCAVATION FOR CULVERT, 48" RCP	CY	126		
13C	DEWATERING FOR CULVERT, 48" RCP	LS	1		
13D	BEDDING & INITIAL BACKFILL FOR CULVERT, 48" RCP	CY	63		
13E	FLARED END SECTION, W/O GRATE, 48" RCP	EA	1		
14A	CULVERT, 48" CMP, 12 GA., TYPE 2 (ALUMINIZED)	LF	177		
14B	EXCAVATION FOR CULVERT, 48" CMP	CY	257		
14C	DEWATERING FOR CULVERT, 48" CMP	LS	1		
14D	BEDDING & INITIAL BACKFILL FOR CULVERT, 48" CMP	CY	188		
15A	CULVERT, 5 FT x 3 FT RCP (RE-USE EXISTING)	LF	97		
15B	EXCAVATION FOR CULVERT, 5 FT x 3 FT RCP	CY	161		
15C	DEWATERING FOR CULVERT, 5 FT x 3 FT RCP	LS	1		
15D	BEDDING & INITIAL BACKFILL FOR CULVERT, 5 FT x 3 FT RCP	CY	165		
16A	STORM SEWER STRUCTURE, 4 FT. DIA., 4-8 FT DEEP	EA	1		
16B	EXCAVATION FOR STORM SEWER STRUCTURE, 4 FT. DIA., 4-8 FT DEEP	CY	8		

ITEM	DESCRIPTION	UNIT	QTY.	UNIT PRICE	EXT. PRICE
16C	DEWATERING FOR STORM SEWER STRUCTURE, 4 FT. DIA., 4-8 FT DEEP	LS	1		
16D	STRUCTURE BEDDING FOR STORM SEWER STRUCTURE, 4 FT. DIA., 4-8 FT DEEP	CY	1		
16E	STRUCTURE BACKFILL FOR STORM SEWER STRUCTURE, 4 FT. DIA., 4-8 FT DEEP	CY	2		
17A	STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP	EA	2		
17B	EXCAVATION FOR STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP	CY	23		
17C	DEWATERING FOR STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP	LS	1		
17D	STRUCTURE BEDDING FOR STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP	CY	2		
17E	STRUCTURE BACKFILL FOR STORM SEWER STRUCTURE, 5 FT. DIA., 4-8 FT DEEP	CY	4		
18A	STORM SEWER STRUCTURE, 5 FT. DIA., > 8 FT DEEP	EA	3		
18B	EXCAVATION FOR STORM SEWER STRUCTURE, 5 FT. DIA., > 8 FT DEEP	CY	49		
18C	DEWATERING FOR STORM SEWER STRUCTURE, 5 FT. DIA., > 8 FT DEEP	LS	1		
18D	STRUCTURE BEDDING FOR STORM SEWER STRUCTURE, 5 FT. DIA., > 8 FT DEEP	CY	3		
18E	STRUCTURE BACKFILL FOR STORM SEWER STRUCTURE, 5 FT. DIA., > 8 FT DEEP	CY	22		
19A	STORM SEWER STRUCTURE, 6 FT. DIA., 4-8 FT DEEP	EA	1		
19B	EXCAVATION FOR STORM SEWER STRUCTURE, 6 FT. DIA., 4-8 FT DEEP	CY	15		
19C	DEWATERING FOR STORM SEWER STRUCTURE, 6 FT. DIA., 4-8 FT DEEP	LS	1		
19D	STRUCTURE BEDDING FOR STORM SEWER STRUCTURE, 6 FT. DIA., 4-8 FT DEEP	CY	1		
19E	STRUCTURE BACKFILL FOR STORM SEWER STRUCTURE, 6 FT. DIA., 4-8 FT DEEP	CY	3		
20	EXCAVATION AND/OR FILL FOR DETENTION BASIN	CY	8624		
21	GRADING DITCHES & SWALES, EMERGENCY SPILLWAY	LF	50		
22	ROAD CUT & REPAIR, DRIVEWAYS	SY	148		
23	ROAD CUT & REPAIR, CR 250 S	SY	25		
24	MAINTENANCE OF TRAFFIC FOR ROAD CUT & REPAIR	LS	1		
25	GRADING DITCHES & SWALES, DOWNSTREAM SWALE	LF	600		

ITEM	DESCRIPTION	UNIT	QTY.	UNIT PRICE	EXT. PRICE
26	GRADING DITCHES & SWALES, UPSTREAM SWALE	LF	270		
27	ROCK APRON	SY	14		
28	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL, EXCESS EXCAVATED MATERIAL	CY	10908		
29	RESTORE DISTURBED AREAS	LS	1		
TOTAL BID (I.E., TOTAL OF ALL EXTENDED PRICES, ITEMS 1-29):					

Bidder's total bid for the work, which is the sum of the Bidder's extended price(s) for the base bid items, is:

TOTAL BID (IN FIGURES): _____

TOTAL BID (IN WORDS): _____

Bidder acknowledges that the quantities of items of unit price work included on this Basis of Bid Form are not guaranteed and are provided solely for the purposes of comparing bids, establishing pay item unit prices, and determining an initial contract price. Except as otherwise stated in the contract documents, payment to the successful bidder will be based upon the actual quantities of work performed, the acceptance of such work and the determination of such quantities to be made by the Engineer in accordance with the contract documents.